

R2#show run

Building configuration...

Current configuration : 1929 bytes

!

! Last configuration change at 08:04:45 UTC Fri Jan 18 2019

!

version 15.2

service timestamps debug datetime msec

service timestamps log datetime msec

!

hostname R2

!

boot-start-marker

boot-end-marker

!

!

!

no aaa new-model

no ip icmp rate-limit unreachable

ip cef

!

!

!

!

!

!

no ip domain lookup

no ipv6 cef

!

!

multilink bundle-name authenticated

!

!

!

!

!

!

!

!

!

!

ip tcp synwait-time 5

!

!

!

!

!

!

!

!

!

!

```
!  
!  
interface Loopback0  
  ip address 2.2.2.2 255.255.255.255  
  ip ospf network point-to-point  
  ip ospf 1 area 0  
!  
interface Ethernet0/0  
  no ip address  
  shutdown  
  duplex auto  
!  
interface GigabitEthernet0/0  
  no ip address  
  shutdown  
  media-type gbic  
  speed 1000  
  duplex full  
  negotiation auto  
!  
interface GigabitEthernet1/0  
  ip address 1.2.1.2 255.255.255.248  
  ip ospf network point-to-point  
  ip ospf 1 area 0  
  negotiation auto  
  mpls ip  
!  
interface GigabitEthernet2/0  
  ip address 2.3.2.2 255.255.255.248  
  ip ospf network point-to-point  
  ip ospf 1 area 0  
  negotiation auto  
  mpls ip  
!  
interface GigabitEthernet3/0  
  no ip address  
  shutdown  
  negotiation auto  
!  
interface GigabitEthernet4/0  
  no ip address  
  shutdown  
  negotiation auto  
!  
router ospf 1  
!  
router bgp 65000  
  bgp log-neighbor-changes  
  neighbor 1.1.1.1 remote-as 65000  
  neighbor 1.1.1.1 update-source Loopback0  
  neighbor 3.3.3.3 remote-as 65000  
  neighbor 3.3.3.3 update-source Loopback0
```

```
!  
address-family ipv4  
  neighbor 1.1.1.1 activate  
  neighbor 3.3.3.3 activate  
exit-address-family  
!  
address-family vpnv4  
  neighbor 1.1.1.1 activate  
  neighbor 1.1.1.1 send-community extended  
  neighbor 3.3.3.3 activate  
  neighbor 3.3.3.3 send-community extended  
exit-address-family  
!  
ip forward-protocol nd  
!  
!  
no ip http server  
no ip http secure-server  
!  
!  
!  
control-plane  
!  
!  
line con 0  
  exec-timeout 0 0  
  privilege level 15  
  logging synchronous  
  stopbits 1  
line aux 0  
  exec-timeout 0 0  
  privilege level 15  
  logging synchronous  
  stopbits 1  
line vty 0 4  
  login  
!  
!  
end
```